

SOAtest API Changes in Version 9.5

As Parasoft updated and enhanced our API for the new extension framework introduced in version 9.5, several changes were made that might impact any extensions and customizations you and your team implemented in earlier versions of SOAtest / Load Test. This topic explains Extension Framework API changes that might impact your existing customizations (custom extensions, Extension tools, scripted actions, etc.).

Section include:

- [Scripts Written in Java](#)
- [Custom QOS Metrics and Stop Actions \(Load Test\)](#)
- [Custom Extensions - Transports](#)
- [Event Logging from Extension Tools or Scripts](#)
- [Deprecated WebKing CLI, HttpUnit, and Load Test APIs](#)
- [Unused APIs](#)

Scripts Written in Java

`com.parasoft.api.ExtensionToolContext.addDataSource()`

The method now returns `java.lang.Object` instead of undocumented type `DataSourcePosition`.

Impact: This is a deprecated method. It was previously used to indicate that the Extension Tool used a data source. This can now be accomplished by toggling a checkbox in the UI. If you previously used Java for scripting, the script will need to be updated to avoid a `NoSuchMethod` error at runtime. `DataSourcePosition` has been removed from the interface definition, but the object is of the same type, meaning that a cast will be required if you are getting a handle to the returned object. If scripting was implemented without Java, there is no impact.

`com.parasoft.api.ScriptingContext.getValue()`

`com.parasoft.api.ExtensionToolContext.getValue()`

These methods now throw `IOException` instead of `DataSourceException`.

Impact: `DataSourceException` has been removed from the interface definition. Before recompilation, any Java code that handles `DataSourceException` will need to be updated to handle `IOException` instead. If scripting was implemented without Java, there is no impact.

Custom QOS Metrics and Stop Actions (Load Test)

`com.parasoft.api.loadtest.QOSUtil` (All Methods)

All methods return object instead of undocumented type `QOSMetric`.

Impact: `QOSMetric` has been removed from the interface definition. If you previously used Java for scripting, the script will need to be updated to avoid a `NoSuchMethodError` at runtime. In addition, if you were retrieving a handle to the returned object, then a cast will need to be made. If scripting was implemented without Java, there is no impact.

`com.parasoft.api.loadtest.output.LoadTestOutput.getGraphOutputs()`

Removed the undocumented type `GraphPoint` from the returned `Vector`.

Impact: `GraphPoint` has been removed from the interface definition. You can continue using an already-compiled version of this class without issue. However, issues will arise if you try to recompile with the new version of the project. In this case, a cast is required.

Custom Extensions - Transports

`com.parasoft.api.transport.CustomTransportConfiguration`

No longer extends `CustomConfiguration` or undocumented type `AbstractCustomConfiguration`.

Impact: `CustomConfiguration` provided access to a `get()` method, which is still available. The undocumented type `AbstractCustomConfiguration` can no longer be used.

[com.parasoft.api.CustomConfiguration](#)

No longer available.

Impact: None. This was extended by CustomTransportConfiguration , and CustomTrafficProviderConfiguration. This class only provides a single method named get() that is still available in the listed classes even though they no longer extend this class.

Event Logging from Extension Tools or Scripts

com.parasoft.api.Event

No longer extends undocumented type SimpleEvent.

Impact: Undocumented methods from the superclass can no longer be used.

Deprecated WebKing CLI, HttpUnit, and Load Test APIs

webking.api.app, com.parasoft.remote, webking.api.ArgumentHandler

No longer available.

Impact: The deprecated classes in these packages represent a way to access the legacy WebKing CLI using Java. Code using these classes will need to be run with a version of SOAtest earlier than 9.5. To run tests headlessly with version 9.5 or later, use the SOAtest CLI or web service interface.

webking.common.httpunit and webking.httpunit

No longer available.

Impact: The deprecated classes in these packages were used by HttpUnit test cases that were generated by WebKing. Code using these classes will need to be run with a version of SOAtest earlier than 9.5.

webking.api.WebKingUtil

No longer available.

Impact: This class provided deprecated methods for retrieving browser contents in scripts for web functional tests. These methods have been replaced by equivalent methods in com.parasoft.api.BrowserContentsInput. In addition, there were other methods in this class that were used to access WebKing CLI, scanning, functional, and load testing functionality that has not been present since SOAtest 9.0.

webking.api.BrowserUserScript, webking.api.BrowserVirtualUser, webking.api.SimpleUserScript, webking.api.SimpleVirtualUser

No longer available.

Impact: The deprecated classes in these packages were used in WebKing Load Testing. They have been unusable since SOAtest 9.0.

Unused APIs

com.parasoft.api.traffic.CustomTrafficProviderConfiguration

No longer available.

Impact: None. This class was never used.

com.parasoft.api.MethodNameCollector

No longer available.

Impact: None. This class is never referenced or passed around in the API.

webking.api.WebKingError

No longer available.

Impact: None. This class is never referenced or passed around in the API.